

100% Sofosbuvir (Hepcinat)



УЗНАТЬ ПОДРОБНЕЕ

sofosbuvir софосбувир

Sofosbuvir (Sovaldi) is an antiviral medication prescribed in combination with other hep C drugs to treat and possibly cure hepatitis C viral infection (HCV). Some of the more bothersome side effects are flu-like symptoms, irritability, rash, diarrhea, and anemia.

Sofosbuvir, a recently approved nucleotide analog, is a highly potent inhibitor of the NS5B polymerase in the Hepatitis C virus (HCV), and has shown high efficacy in combination with several other drugs, with and without PEG-INF, against HCV. It offers many advantages due to its high potency, low side effects, oral administration, and high.

Sofosbuvir/velpatasvir, in combination with ribavirin, must not be used during pregnancy by either the pregnant woman or her male partner. The combination may harm an unborn baby. The combination.

Софосбувир + Даклатасвир. Например, Sofosbuvir и Daclatasvir. 4. Найдите в колонке рядом с ней препарат, взаимодействие с которым хотите узнать, используя МНН. 5. Смотрите результат в правой колонке:

1. Софосбувир + Ледипасвир (1 и 4 генотипы) 2. Софосбувир + Даклатасвир (2 и 3 генотипы) 3. Софосбувир + Велпатасвир (универсальная схема для всех генотипов, но более дорогая)

The dose of this medicine (sofosbuvir tablets) may need to be changed. How is this medicine (Sofosbuvir Tablets) best taken? Use this medicine (sofosbuvir tablets) as ordered by your doctor. Read all information given to you. Follow all instructions closely. Take this medicine (sofosbuvir tablets) at the same time of day. Take with or without food.

Софосбувир инструкция по применению Побочные действия Софосбувир В целом, препарат переносится хорошо и не имеет ярко выраженных побочных явлений.

Sofosbuvir is an antiviral medicine that is used to treat chronic hepatitis C in adults and children who are at least 3 years old. Sofosbuvir must be given in combination with other antiviral medications (usually ribavirin with or without peginterferon alfa). Sofosbuvir should not be used alone.

Sofosbuvir (in combination with ledipasvir, daclatasvir or simeprevir) should not be used with amiodarone due to the risk of abnormally slow heartbeats. [8] Sofosbuvir is a substrate of P-glycoprotein, a transporter protein that pumps drugs and other substances from intestinal epithelium cells back into the gut.

Аптека Софосбувир Украина Мобильная версия. Эл. почта: sofosbuvir.ukraine@gmail.com. Skype: [sofcinat-lp](https://www.skype.com/ua/contacts/sofcinat-lp). Работает на платформе Хорошоп Наверх. Вход.

sofosbuvir софосбувир